

ASTI Environmental

- □ Established in 1985
- □ Environmental and engineering services
 - Property Development Services
 - Compliance Services
 - □ Infrastructure Services
 - Ecological Services



The National Register of Historic Places

- The official list of historic sites of significance
 - Local
 - State
 - National
- Qualifications





National Register vs. Local Historic Districts

- National Register
- Local Historic Districts
- Generally no control or review
- Michigan PA 169 of 1970
- Exception Federal funding
- Local review

Why list a downtown on the NR?

Benefits

- □ Honorary designation
- Eligibility for historic tax credits
- Eligibility for historic preservation grants

Restrictions

- □ None
 - Unless you receive federal funding



National Register (NR) Process

- □ Research, photograph, nomination preparation
- □ State Historic Preservation Review Board Meeting
 - September 11, 2015 at 10am
- □ National Register Staff Review
- □ Keeper of the National Register Designates

Federal Historic Preservation Tax Credits


- □ 20% Income Tax Credit
- Income-producing properties only
- Certified historic structures
- Substantial rehabilitation
- □ Secretary of the Interior's Standards for Rehabilitation


Hart Downtown Historic District





- □ Period of Significance: 1864-1968
- □ Criteria A and C
- Local level
- 37 contributing buildings and 20 noncontributing buildings






























































Hydro-Electric power comes to Hart

- □ Supreme Court decision in July of 1926
- Construction started in 1927
- □ Operational by April of 1928
- □ How long did it operate without an auxiliary unit?



Diesel Power Plant

- December 1931
- Construction started and plant was operational by June of 1932
- 1,000,000 kilowatt hours in March of 1936



Hydro-Electric Dam and Diesel Plant

- □ WPA Project proposed to build a second dam
- Second diesel unit installed in 1939
- □ Options to sell system in 1950s and 1960s



Dam Failure Minor Failure 1928 Flood in 1986 Fingineers called in for repairs BIG BANFALL CAUSES DAMAGE SAME SUBJECT OF THE SAME SUBJECT OF TH



